



Welcome to the world of natural wooden floors

WWW.THEGOODWOOD.PL

COLLECTIONS	MULTILAYER OAK FLOOR BOARD	Value in use	Thickness	Width	Length	Price	
						Rustic class	Natur class
						€	€
MODERN collections	SCRATCHES IN THE MIST	3	10	140	500 - 1200	46,54	56,92
	CAFE LATTE					47,21	57,59
	OLD SPOT					43,53	53,91
	MOON LIGHT					43,19	53,57
	MILK WAY					36,50	46,88
	MODERN WALKING					36,50	46,88
CLASSIC collections	THE VERY HEART	3	10	140	500 - 1200	37,17	47,54
	RAW OAK					39,51	49,89
	IMPERIAL					36,50	46,88
	RAW CUT					36,50	46,88
Rustical collections	WET OAKWOOD	3	10	140	500 - 1200	47,21	57,59
	ANCIENT AOK					43,53	53,91
	THE HEART OF THE KNOT					48,55	58,93
	HONEY RINGS					46,54	56,92
ECONOMY COLLECTIONS	ECONOMY	3	10	70	490	22,60	25,61
				90	1000	31,64	36,16
				120	1200	36,16	40,51

COLLECTIONS	MULTILAYER OAK FLOOR BOARD	Value in use	Thickness	Width	Length	Price	
						Rustic class	Natur class
		mm	mm	mm	mm	€	€
MODERN <i>collections</i>	SCRATCHES IN THE MIST	4	15	160	600 - 2200	58.59	65.29
	CAFE LATTE					48.55	55.25
	OLD SPOT					52.57	59.26
	MOON LIGHT					53.57	60.60
	MILK WAY					48.55	55.25
	MODERN WALKING					48.55	55.25
CLASSIC <i>collections</i>	THE VERY HEART	4	15	160	600 - 2200	46.88	53.91
	RAW OAK					51.23	57.92
	IMPERIAL					46.88	53.91
	RAW CUT					46.88	53.91
<i>Rustical</i> <i>collections</i>	WET OAKWOOD	4	15	160	600 - 2200	57.25	65.63
	ANCIENT AOK					51.23	57.92
	THE HEART OF THE KNOT					58.59	65.29
	HONEY RINGS					58.93	65.63

WOOD IN EVERYTHING

Noble wooden floors have delighted with their beauty and are the object of desire for centuries. GOOD WOOD floorboard is made entirely of wood. It is a completely natural, healthy and ecological product, which after long years of use can be subjected to repeated renovation.

LAYER DESIGN

GOOD WOOD floor board is made of two layers of wood connected crosswise which ensures its optimal stability. Compared to a solid board, it is much more resistant to temperature and humidity changes.

FLOOR HEATING

GOOD WOOD floorboard, thanks to its layered construction, perfectly conducts heat and can be successfully used on underfloor heating - both electric and water.

WOOD CLASSES

NATUR

Wood free from white and cracks on the surface. Healthy knots up to 8mm are acceptable. Black knots up to 3mm are acceptable if they are not present in groups. Wood with natural colors and wood grain. Surface sanded with granulation of 150.

RUSTICAL

Light surface crack and light core crack acceptable. Knots without restrictions. Other natural defects of wood are permissible. White allowed. Wood with natural colors and wood grain. The surface is smoothed with a dark brown putty and sanded with granulation of 150.